

Policy Name	Clinical Policy – Eye Exams
Policy Number	1316.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Original Approval Date	02/06/2018
Previous Approval Date	10/29/2020
Current MPC/CMO Approval	04/06/2022
Current Effective Date	05/01/2022

Company Entities Supported (Select All that Apply) <input checked="" type="checkbox"/> Superior Vision Benefit Management <input checked="" type="checkbox"/> Superior Vision Services <input checked="" type="checkbox"/> Superior Vision of New Jersey, Inc. <input checked="" type="checkbox"/> Block Vision of Texas, Inc. d/b/a Superior Vision of Texas <input checked="" type="checkbox"/> Davis Vision (Collectively referred to as ‘Versant Health’ or ‘the Company’)

ACRONYMS or DEFINITIONS	
N/A	

PURPOSE

To provide the medical necessity criteria to support the indication(s) for routine and medical eye exams and to render medical necessity determinations. Applicable procedure codes are also defined.

POLICY

- A.** Eye exams are divided into two groups:
1. Medical – the eye exam is performed for the diagnosis and/or treatment of illness or injury or to improve the function of a malformed body member.
 2. Routine and Vision – the eye exam is performed to screen for disease in an otherwise healthy patient without history of eye disease or visual complaints AND to address ametropias and provide corrective lenses if necessary. If follow-up evaluation and management is needed due to a detected medical condition, the subsequent visit and treatment is classified as Medical.

B. Medical Necessity

The medical necessity of an eye exam is determined from the patient's chief complaint and the corresponding primary diagnosis. The stated reason for the appointment is not necessarily the purpose of the eye exam. Additional diagnoses, if any, are relevant for determining the level of service but do not change the purpose of the eye exam.

The frequency of ocular examinations should be based on the presence of visual abnormalities and the probability of visual abnormalities developing. Individuals who have ocular symptoms require prompt examinations. Individuals who do not have symptoms but who are at elevated risk of developing ocular abnormalities related to systemic diseases, such as diabetes mellitus and hypertension or who have a family history of eye disease, require periodic comprehensive eye examinations to prevent or minimize visual loss. Adults who have no symptoms, and who are at minimal risk, should receive an initial comprehensive eye examination and follow a schedule of periodic assessment designed to detect ocular disease.

C. Documentation

Medical necessity is supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale for it and, at a minimum, the following items. If a subsequent medical review audit is necessary, these items are expected to be available to initiate or sustain payments. Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the author. The method used shall be handwritten or electronic signature. Stamped signatures are not acceptable.

1. Chief complaint and history. The extent of the charted history reflects the nature of the presenting problem(s) and inspires the differential diagnosis process.
2. Ocular examination will include some or all the following elements depending upon the patient's complaint and condition:
 - a. Visual acuity (VA)
 - b. Confrontation visual field (CVF)
 - c. Ocular motility (EOMs)
 - d. Adnexa and eyelids
 - e. Conjunctiva
 - f. Cornea
 - g. Anterior chamber
 - h. Pupils
 - i. Iris
 - j. Lens
 - k. Intraocular pressure (IOP)
 - l. Fundus (discs, retina, macula, vessels, vitreous) including mydriasis, unless contraindicated
 - m. Mental status
 - n. Impression and plan for treatment or additional services

D. Procedural Detail

1. CPT (Current Procedural Terminology) defines codes 92004 and 92014 as “*one or more visits.*” These procedure codes describe a single service that need not be performed in one session. It is possible to bridge a comprehensive exam over more than one session in a day (morning and afternoon) or more than one day. For bridged visits, one claim plus the medical record would reflect the fact that the exam extended over time. The span of time should be short, usually no more than a day or two, and billed when the service is completed. Bridged exams do not apply to E/M services or intermediate eye exams.
2. E/M codes 92002 – 92014 are on both the medical and routine exam lists. The diagnosis code determines whether the exam is medical or routine.
3. The screening exam (99173) is a component of both medical and routine/vision exams and cannot be billed on the same day.

E. Codes for Routine and Medical Exams

1. CPT Codes for routine exams

92002	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
92004	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits
92012	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient
92014	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits
G0466	Federally qualified health center (FQHC) visit, new patient (for Medicare primary plans only)
G0467	Federally qualified health center (FQHC) visit, established patient (for Medicare primary plans only)
S0620	Routine ophthalmological examination including refraction; new patient
S0621	Routine ophthalmological examination including refraction; established patient
T1015	Clinic visit/encounter, all-inclusive for FQHC use

2. CPT Codes for medical exams

92002	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
92004	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits

92012	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient
92014	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits
99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straight forward medical decision-making. When using time for code selection, 15-29 minutes of total time is spent on the date of the encounter.
99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision-making. When using time for code selection, 30-44 minutes of total time is spent on the date of the encounter.
99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision-making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.
99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision-making. When using time for code selection, 60-74 minutes of total time is spent on the date of the encounter.
99211	Office or other outpatient visit for the evaluation and management of an established patient, which may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.
99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision-making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.
99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision-making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.
99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision-making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.
99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision-making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.

99221	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of low severity. Typically, 30 minutes are spent at the bedside and on the patient's hospital floor or unit.
99222	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit.
99223	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit.
99231	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . the patient is stable, recovering or improving. Typically, 15 minutes are spent at the bedside and on the patient's hospital floor or unit.
99232	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is responding inadequately to therapy or has developed a minor complication. Typically, 25 minutes are spent at the bedside and on the patient's hospital floor or unit.
99233	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is unstable or has developed a significant complication or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit.
99281	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . presenting problem(s) are self-limited or minor.
99282	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . the presenting problem(s) are of low to moderate severity.
99283	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . the presenting problem(s) are of moderate severity.
99284	Emergency department visit for the evaluation and management of patient, which requires these 3 key components . . . presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.
99285	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.

99304	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . Usually, the problem(s) requiring admission are of low severity. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99305	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . the problem(s) requiring admission are of moderate severity. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99306	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . the problem(s) requiring admission are of high severity. Typically, 45 minutes are spent at the bedside and on the patient's facility floor or unit.
99307	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is stable, recovering, or improving. Typically, 10 minutes are spent at the bedside and on the patient's facility floor or unit.
99308	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is responding inadequately to therapy or has developed a minor complication. Typically, 15 minutes are spent at the bedside and on the patient's facility floor or unit.
99309	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient has developed a significant complication or a significant new problem. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99310	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99324	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of low severity. Typically, 20 minutes are spent with the patient and/or family or caregiver.
99325	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate severity. Typically, 30 minutes are spent with the patient and/or family or caregiver.
99326	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent with the patient and/or family or caregiver.
99327	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of high severity. Typically, 60 minutes are spent with the patient and/or family or caregiver.

99328	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent with the patient and/or family or caregiver.
99334	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent with the patient and/or family or caregiver.
99335	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent with the patient and/or family or caregiver.
99336	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent with the patient and/or family or caregiver.
99337	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99341	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of low severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.
99342	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.
99343	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.
99344	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.
99345	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history . . . patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent face-to-face with the patient and/or family.

99347	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.
99348	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.
99349	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.
99350	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent face-to-face with the patient and/or family.
G0466	Federally qualified health center (FQHC) visit, new patient (only allowed to be used with Medicare as primary).
G0467	Federally qualified health center (FQHC) visit, established patient. (Only allowed to be used with Medicare as primary)
T1015	Clinic visit/encounter, all-inclusive for FQHC use

3. Valid modifiers

24	Unrelated Evaluation and a Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period
25	Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service
57	Decision for Surgery. Used on an evaluation and management service that resulted in the initial decision to perform surgery.

4. Invalid modifiers

TC	Used when the physician performs the test but does not do the interpretation
26	Used to indicate the professional component of the service being billed was "interpretation only"
58	Performance of a procedure or service during the postoperative period was either planned prospectively at the time of the original procedure
78	Unplanned return to the operating/procedure room by the same physician following initial procedure for a related procedure during the post-operative period
79	Unrelated procedure or service by the same physician during the postoperative period

DISCLAIMER and COPYRIGHTS



This policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this Coverage Policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual’s particular coverage plan document, which may not cover the service(s) or procedure(s) addressed in this Coverage Policy. The terms of the individual’s specific coverage plan are always determinative. Every effort has been made to ensure that the information in this coverage policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the Company nor the employees represent that use of such information, products, or processes that will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY’S COPYRIGHT STATEMENT

Except for any copyrights described below, this Coverage Policy is confidential and proprietary, and no part of this Coverage Policy may be copied without Versant Health, or its applicable affiliates expressing prior written approval.

AMA COPYRIGHT STATEMENT

CPT only copyright 2002-2022 American Medical Association. All Rights Reserved. CPT is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES	
1336	Telemedicine

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
02/06/2018	Initial Policy	02/06/2018
12/12/2018	Revision with technical /administrative amendments	12/12/2018
03/13/2019	Updated references	03/13/2019

12/18/2019	Updated format: expanded eye exam E/M and diagnosis codes and categorized into routine and medical. No criteria change.	01/01/2020
10/29/2020	Annual review; no criteria changes.	03/01/2021
04/07/2021	Early review – Removed CMS deleted code 99201	07/01/2021
7/11/2021	Early review – added explicit exclusion of screening exam as a billable service on same day as a routine or medical eye exam.	11/01/2021
04/06/2022	Annual review; no criteria changes.	05/01/2022

REFERENCES AND SOURCES

1. Alabdulkader B. Effect of digital device use during COVID-19 on digital eye strain. *Clin Exp Optom*. 2021 Aug;104(6):698-704. doi: 10.1080/08164622.2021.1878843. Epub 2021 Feb 22. PMID: 33689614.
2. Alatawi A, Alali N, Alamrani A, et al. Amblyopia and Routine Eye Exam in Children: Parent's Perspective. *Children (Basel)*. 2021 Oct 18;8(10):935. doi: 10.3390/children8100935. PMID: 34682200; PMCID: PMC8535128.
3. Chen SP, Bhattacharya J, Pershing S. Association of Vision Loss with Cognition in Older Adults. *JAMA Ophthalmol*. 2017;135(9):963–970. doi:10.1001/jamaophthalmol.2017.2838.
4. DeCarlo, Dawn K.; Swanson, Mark; McGwin, Gerald, et al ADHD and Vision Problems in the National Survey of Children's Health, Optometry and Vision Science: May 2016 - Volume 93 - Issue 5 - p 459-465 doi: 10.1097/OPX.000000000000008.
5. Eppley SE, Mansberger SL, Ramanathan S, Lowry EA. Characteristics Associated with Adherence to Annual Dilated Eye Examinations among US Patients with Diagnosed Diabetes. *Ophthalmology*. 2019;126(11):1492-1499. doi:10.1016/j.ophtha.2019.05.033.
6. Fong A, Scoulios N, Blumenthal HJ, Anderson RE. Using Machine Learning to Capture Quality Metrics from Natural Language: A Case Study of Diabetic Eye Exams. *Methods Inf Med*. 2021 Sep;60(3-04):110-115. doi: 10.1055/s-0041-1736311. Epub 2021 Oct 1. PMID: 34598298.
7. Le Floch A, Ropars G. Left-right asymmetry of the Maxwell spot centroids in adults without and with dyslexia. *Proc Biol Sci*. 2017 Oct 25;284(1865):20171380. doi: 10.1098/rspb.2017.1380. PMID: 29046375; PMCID: PMC5666095.
8. Martin EF. Performing pediatric eye exams in primary care. *Nurse Pract*. 2017;42(8):41-47. doi:10.1097/01.NPR.0000520791.94940.7e.
9. Medical Advisory Secretariat. Routine eye examinations for persons 20-64 years of age: an evidence-based analysis. *Ont Health Technol Assess Ser*. 2006;6(15):1-81.
10. Picone G, Brown D, Sloan F, et al. Do routine eye exams improve vision?. *Int J Health Care Finance Econ*. 2004;4(1):43-63. doi:10.1023/b:ihfe.0000019262.27436.3d.
11. Robin A, Giovingo M. Screening recommendations for diabetics. *Dis Mon*. 2021 May;67(5):101116. doi: 10.1016/j.disamonth.2020.101116. Epub 2021 Feb 16. PMID: 33602543.
12. Schumacher AC, Ball ML, Arnold AW, et al. Oculocardiac Reflex During ROP Exams. *Clin Ophthalmol*. 2020 Dec 4;14:4263-4269. doi: 10.2147/OPHTH.S288043. PMID: 33324032; PMCID: PMC7732975.

13. Shah R, Amador C, Tormanen K, et al. Systemic diseases and the cornea. *Exp Eye Res.* 2021 Mar;204:108455. doi: 10.1016/j.exer.2021.108455. Epub 2021 Jan 21. PMID: 33485845; PMCID: PMC7946758.
14. Williams AM, Liu PJ, Muir KW, et.al. Behavioral economics and diabetic eye exams. *Prev Med.* 2018;112:76-87. doi:10.1016/j.ypmed.2018.04.006.
15. Zhu X, Xu Y, Xu X, et al. Psychometric assessment and application of the Chinese version of the Compliance with Annual Diabetic Eye Exams Survey in people with diabetic retinopathy. *Diabet Med.* 2020 Jan;37(1):84-94. doi: 10.1111/dme.14092. Epub 2019 Aug 18. PMID: 31365948.

SOURCES

1. American Academy of Ophthalmology, Frequency of Ocular Examinations – 2015.
2. American Academy of Ophthalmology, Comprehensive Adult Medical Eye Evaluation-Preferred Practice Pattern – 2015.
3. American Academy of Ophthalmology, Pediatric Eye Evaluations Preferred Practice Pattern 2017.
4. CMS: Medicare Claims Processing, Transmittal 178, CR 2321, May 14, 2004.
5. CMS: Medicare Claims Processing Manual Chapter 12 §40.2. A8. Accessed 3/2/2019.
6. Comprehensive Adult Eye and Vision Examination-Evidence Based Clinical Practice Guideline, 1st edition, American Optometric Association, 2015.
7. Comprehensive Pediatric Eye and Vision Examination-Evidence Based Clinical Practice Guideline-American Optometric Association, as approved by AOA Board 2/12/2017.